

Prepared for:
Venn Brewing Company

3550 East 46th St #140
Minneapolis, MN USA 55406

Zenn Paloma

Batch ID or Lot Number: THC0028	Test: Potency	Reported: 14Feb2024	USDA License: N/A
Matrix: Unit	Test ID: T000270541	Started: 12Feb2024	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 12Feb2024	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.200	0.680	ND	ND	# of Servings = 1, Sample Weight=485g
Cannabichromenic Acid (CBCA)	0.183	0.622	ND	ND	
Cannabidiol (CBD)	0.617	2.024	ND	ND	
Cannabidiolic Acid (CBDA)	0.632	2.076	ND	ND	
Cannabidivarin (CBDV)	0.146	0.479	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.264	0.866	ND	ND	
Cannabigerol (CBG)	0.114	0.386	ND	ND	
Cannabigerolic Acid (CBGA)	0.475	1.615	ND	ND	
Cannabinol (CBN)	0.148	0.504	ND	ND	
Cannabinolic Acid (CBNA)	0.324	1.102	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.566	1.924	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.514	1.747	4.200	0.00	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.455	1.548	ND	ND	
Tetrahydrocannabivarin (THCV)	0.103	0.351	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.402	1.365	ND	ND	
Total Cannabinoids			4.200	0.00	
Total Potential THC			4.200	0.00	
Total Potential CBD			ND	ND	

Final Approval



Karen Winternheimer
14Feb2024
10:37:00 AM MST

PREPARED BY / DATE



Sam Smith
14Feb2024
10:38:00 AM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/5ed332ee-8f7d-43be-a557-c43339daee82>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02
5ed332ee8f7d43bea557c43339daee82.1